

CONTENTS

Introduction / xv

<Chapter 1>

Introduction to Mechanical Analysis Using Finite Elements / 1

- 1.1 Integrated Optomechanical Analysis Issues / 1
 - 1.1.1 Integration issues / 1
 - 1.1.2 Example: orbiting telescope / 1
 - 1.1.3 Example: lens barrel / 3
- 1.2 Elasticity Review / 4
 - 1.2.1 Three-dimensional elasticity / 4
 - 1.2.2 Two-dimensional plane stress / 6
 - 1.2.3 Two-dimensional plane strain / 8
 - 1.2.4 Principal stress and equivalent stress / 9
- 1.3 Material Properties / 10
 - 1.3.1 Overview / 10
 - 1.3.2 Figures of Merit / 11
 - 1.3.3 Discussion of materials / 14
 - 1.3.4 Common telescope materials / 16
- 1.4 Basics of Finite Element Analysis / 16
 - 1.4.1 Finite element theory / 16
 - 1.4.2 Element performance / 18
 - 1.4.3 Structural analysis equations / 21
 - 1.4.4 Thermal analysis with finite elements / 22
 - 1.4.5 Thermal analysis equations / 23
- 1.5 Symmetry in FE Models / 24
 - 1.5.1 General loads / 24
 - 1.5.2 Symmetric loads / 24
 - 1.5.3 Modeling techniques / 27
 - 1.5.4 Axisymmetry / 28
 - 1.5.5 Symmetry: pros and cons / 28
- 1.6 Model Checkout / 28
- 1.7 Summary / 30
- References / 30
- Appendix
 - A.1 RMS / 31
 - A.2 Peak-to-Valley / 31
 - A.3 Orthogonality / 31
 - A.4 RSS / 32
 - A.5 Coordinate transformation for vectors / 33
 - A.6 Coordinate transformation for stresses or materials / 33
 - A.7 Factor of safety, margin of safety, model uncertainty / 34

<Chapter 2>**Introduction to Optics for Mechanical Engineers / 37**

- 2.1 Electromagnetic Basics / 37
- 2.2 Polarization / 38
- 2.3 Rays, Wavefronts, and Wavefront Error / 40
- 2.4 Pointing Error / 41
- 2.5 Optical Aberrations / 42
- 2.6 Image Quality and Optical Performance / 44
 - 2.6.1 Diffraction / 45
 - 2.6.2 Measures of image blur / 45
 - 2.6.2.1 Spot diagram / 46
 - 2.6.2.2 Point spread function and Strehl ratio / 46
 - 2.6.2.3 Encircled energy function / 47
 - 2.6.3 Optical resolution / 47
 - 2.6.4 Modulation transfer function / 48
- 2.7 Image Formation / 50
 - 2.7.1 Spatial domain / 51
 - 2.7.2 Frequency domain / 51
- 2.8 Imaging System Fundamentals / 54
- 2.9 Conic Surfaces / 55
- 2.10 Optical Design Forms / 56
- 2.11 Interferometry and Optical Testing / 57
- 2.12 Mechanical Obscurations / 57
 - 2.12.1 Obscuration periphery, area, and encircled energy / 58
 - 2.12.2 Diffraction effects for various spider configurations / 59
 - 2.12.3 Diffraction spikes / 59
- 2.13 Optical-System Error Budgets / 60
- References / 61

<Chapter 3>**Zernike and Other Useful Polynomials / 63**

- 3.1 Zernike Polynomials / 63
 - 3.1.1 Mathematical description / 63
 - 3.1.2 Individual Zernike terms / 64
 - 3.1.3 Standard Zernike polynomials / 66
 - 3.1.4 Fringe Zernike polynomials / 68
 - 3.1.5 Magnitude and phase / 69
 - 3.1.6 Orthogonality of Zernike polynomials / 69
 - 3.1.6.1 Noncircular apertures / 70
 - 3.1.6.2 Discrete data / 71
 - 3.1.7 Computing the Zernike polynomial coefficients / 72
- 3.2 Annular Zernike Polynomials / 74
- 3.3 X-Y Polynomials / 74
- 3.4 Legendre Polynomials / 75
- 3.5 Legendre–Fourier Polynomials / 76
- 3.6 Aspheric Polynomials / 77
- References / 78

<Chapter 4>**Optical Surface Errors / 81**

- 4.1 Optical-Surface Rigid-Body Errors / 81
 - 4.1.1 Computing rigid-body motions / 82
 - 4.1.2 Representing rigid-body motions in the optical model / 83
- 4.2 Optical-Surface Shape Changes / 84
 - 4.2.1 Sag displacements / 85
 - 4.2.2 Surface normal deformations / 86
- 4.3 Relating Surface Errors to Wavefront Error / 87
 - 4.3.1 Refractive surfaces / 87
 - 4.3.2 Reflective surfaces / 88
- 4.4 Optical Surface Deformations and Zernike Polynomials / 89
 - 4.4.1 Optical-surface error analysis example / 89
- 4.5 Representing Elastic Shape Changes in the Optical Model / 91
 - 4.5.1 Polynomial surface definition / 91
 - 4.5.2 Interferogram files / 92
 - 4.5.3 Uniform arrays of data / 93
 - 4.5.3.1 Grid Sag surface / 94
 - 4.5.3.2 Interpolation / 94
- 4.6 Predicting Wavefront Error Using Sensitivity Coefficients and Matrices / 95
 - 4.6.1 Rigid-body and radius-of-curvature sensitivity coefficients / 96
 - 4.6.1.1 Sensitivity coefficients example / 96
 - 4.6.1.2 Computing radius of curvature changes / 97
 - 4.6.2 Use of Zernike sensitivity coefficients / 98
- 4.7 Finite-Element-Derived Spot Diagrams / 99
- References / 99

<Chapter 5>**Optomechanical Displacement Analysis Methods / 101**

- 5.1 Displacement FEA Models of Optical Components / 101
 - 5.1.1 Definitions / 101
 - 5.1.2 Single-point models / 102
 - 5.1.3 Models of solid optics / 104
 - 5.1.3.1 Two-dimensional models of solid optics / 104
 - 5.1.3.2 Three-dimensional element models of solid optics / 105
 - 5.1.4 Lightweight mirror models / 108
 - 5.1.4.1 Two-dimensional equivalent-stiffness models of lightweight mirrors / 108
 - 5.1.4.2 Three-dimensional equivalent-stiffness models / 114
 - 5.1.4.3 Three-dimensional plate/shell model / 116
 - 5.1.4.4 Example: gravity deformation prediction comparison of a lightweight mirror / 117
 - 5.1.4.4.1 Two-dimensional effective property calculations / 118
 - 5.1.4.4.2 Three-dimensional effective property calculations / 119

5.1.4.4.3	Three-dimensional plate/shell model effective property calculations / 120
5.1.4.4.4	Comparison of results / 121
5.1.4.5	Example: Lightweight mirror with significant quilting / 122
5.1.5	Generation of powered optic models / 126
5.1.5.1	On-axis slumping / 126
5.1.5.2	Off-axis slumping / 127
5.1.5.3	Calculation of local segment sag / 131
5.1.6	Symmetry in optic models / 131
5.1.6.1	Creating symmetric models / 131
5.1.6.2	Example creation of a symmetric model / 132
5.1.6.3	Example of symmetry verification check / 134
5.2	Analysis of Surface Effects / 137
5.2.1	Composite-plate model / 138
5.2.2	Homogeneous-plate model / 139
5.2.3	Three-dimensional model / 141
5.2.4	Example: coating-cure shrinkage / 141
5.2.4.1	Composite-plate model / 142
5.2.4.2	Homogeneous-plate model / 142
5.2.4.3	Three-dimensional model / 143
5.2.5	Example: Twyman effect / 143
	References / 145

<Chapter 6>

Modeling of Optical Mounts / 147

6.1	Displacement Models of Adhesive Bonds / 147
6.1.1	Elastic behavior of adhesives / 147
6.1.2	Detailed 3D solid model / 151
6.1.2.1	Congruent mesh models / 152
6.1.2.2	Glued contact models / 152
6.1.3	Equivalent-stiffness bond models / 153
6.1.3.1	Effective properties for hockey-puck-type bonds / 154
6.1.3.2	Example: modeling of a hockey-puck-type bond / 159
6.1.3.3	Effective properties for ring bonds / 161
6.2	Displacement Models of Flexures and Mounts / 162
6.2.1	Classification of structures and mounts / 162
6.2.1.1	Classification of structures / 162
6.2.1.2	Classification of mounts / 163
6.2.1.3	Mounts in 3D space / 164
6.2.2	Modeling of kinematic mounts / 165
6.2.3	Modeling of flexure mounts / 167
6.2.3.1	Arrangement of strut supports / 167
6.2.3.2	Optimum radial location of mounts / 169
6.2.3.3	Modeling of beam flexures / 172
6.2.3.4	Example: modeling of bipod flexures / 174
6.2.3.5	Design issues with bipod flexures / 176

- 6.2.3.6 Modeling of blade flexures / 180
- 6.3 Modeling of Test Supports / 181
 - 6.3.1 Modeling of air bags / 182
 - 6.3.2 Example: test support deformation analysis of a nonaxisymmetric optic / 186
 - 6.3.3 Modeling of V-block test supports / 189
 - 6.3.4 Modeling of sling and roller-chain test supports / 189
 - 6.3.5 Example: Comparison of three test supports / 190
- 6.4 Tolerance Analysis of Mounts / 191
 - 6.4.1 Monte Carlo analysis / 191
 - 6.4.2 Example: flatness/coplanarity tolerance of a mirror mount / 192
- 6.5 Analysis of Assembly Processes / 195
 - 6.5.1 Theory / 195
 - 6.5.2 Example: assembly analysis of mirror mounting / 197
- References / 198

◀Chapter 7▶

Structural Dynamics and Optics / 199

- 7.1 Natural Frequencies and Mode Shapes / 199
 - 7.1.1 Multi-degree-of-freedom systems / 200
- 7.2 Damping / 201
- 7.3 Frequency Response Analysis / 202
 - 7.3.1 Force excitation / 202
 - 7.3.2 Absolute motion due to base excitation / 205
 - 7.3.2.1 Absolute motion due to base excitation example / 206
 - 7.3.3 Relative motion due to base excitation / 207
 - 7.3.4 Frequency response example / 208
- 7.4 Random Vibration / 209
 - 7.4.1 Random vibration in the time domain / 209
 - 7.4.2 Random vibration in the frequency domain / 210
 - 7.4.3 Random-vibration SDOF response / 211
 - 7.4.3.1 Random force excitation example / 211
 - 7.4.3.2 Base excitation: absolute motion example / 212
 - 7.4.3.3 Base excitation: relative motion example / 212
 - 7.4.4 Random vibration design levels / 213
- 7.5 Vibro-Acoustic Analyses / 214
 - 7.5.1 Patch method / 214
- 7.6 Shock Analyses / 216
 - 7.6.1 Shock response spectrum analyses / 217
 - 7.6.2 Shock analysis in the time domain / 218
 - 7.6.3 Attenuation of shock loads / 218
- 7.7 Line-of-Sight Jitter / 218
 - 7.7.1 LOS jitter analyses using FEA / 219
 - 7.7.2 LOS jitter in object and image space / 221
 - 7.7.3 Optical-element rigid-body motions / 221
 - 7.7.4 Cassegrain telescope LOS jitter example / 222

- 7.7.5 LOS rigid-body checks / 222
 - 7.7.5.1 LOS rigid-body checks example / 223
- 7.7.6 Radial LOS error / 224
- 7.7.7 Identifying the critical structural modes / 225
- 7.7.8 Effects of LOS jitter on image quality / 227
 - 7.7.8.1 Constant-velocity image motion / 228
 - 7.7.8.2 High-frequency sinusoidal image motion / 229
 - 7.7.8.3 Low-frequency sinusoidal image motion / 230
 - 7.7.8.4 Random image motion / 230
- 7.7.9 Impact of sensor integration time / 231
- 7.8 Active LOS Stabilization / 233
 - 7.8.1 Image motion stabilization / 234
 - 7.8.2 Rigid-body stabilization / 234
- 7.9 Structural-Controls Modeling / 235
- 7.10 Vibration Isolation / 236
 - 7.10.1 Multi-axis vibration isolation / 237
 - 7.10.2 Vibration isolation system example / 238
 - 7.10.3 Hexapod vibration isolation systems / 240
 - 7.10.4 Vibration isolation roll-off characteristics / 240
- 7.11 Optical Surface Errors Due to Dynamic Loads / 241
 - 7.11.1 Dynamic response and phase considerations / 241
 - 7.11.2 Method to compute optical surface dynamic response / 242
 - 7.11.3 Dynamic surface response and modal techniques / 243
 - 7.11.4 System wavefront error due to dynamic loads / 244
- References / 245

◀Chapter 8▶

Mechanical Stress and Optics / 249

- 8.1 Stress Analysis Using FEA / 249
 - 8.1.1 Coarse FEA models and stress concentration factors / 250
 - 8.1.2 FEA post-processing / 250
- 8.2 Ductile Materials / 251
 - 8.2.1 Microyield / 251
 - 8.2.2 Ultimate strength / 252
- 8.3 Analysis of Brittle Materials / 252
 - 8.3.1 Fracture toughness / 253
 - 8.3.2 FEA methods to compute the stress intensity / 254
- 8.4 Design Strength of Optical Glass / 254
 - 8.4.1 Surface flaws / 255
 - 8.4.2 Controlled grinding and polishing / 255
 - 8.4.3 Inert strength / 256
 - 8.4.3.1 Residual stress and inert strength / 256
 - 8.4.3.2 Inert strength based on material testing and Weibull statistics / 256
 - 8.4.4 Environmentally enhanced fracture / 258
 - 8.4.4.1 Crack growth studies / 258
 - 8.4.4.2 Static and dynamic fatigue testing / 259

- 8.4.4.3 Lifetime and time-to-failure analyses / 260
- 8.4.4.4 Lifetime prediction and probability of failure / 262
- 8.4.4.5 Effects of residual stress on time-to-failure / 263
- 8.4.4.6 BK7 design strength example / 264
- 8.4.5 Proof testing / 264
- 8.4.6 Cyclic fatigue / 265
- 8.5 Stress Birefringence / 265
 - 8.5.1 Mechanical stress and the index ellipsoid / 266
 - 8.5.2 Stress birefringence for isotropic materials / 267
 - 8.5.3 Stress-optical coefficients / 270
 - 8.5.4 Computing stress birefringence for nonuniform stress distributions / 271
 - 8.5.5 Stress birefringence example / 274
 - 8.5.6 Stress birefringence and optical modeling / 276
- References / 277

◀Chapter 9▶

Optothermal Analysis Methods / 279

- 9.1 Thermal Design and Analysis / 279
- 9.2 Thermo-Elastic Analysis / 280
 - 9.2.1 Thermal strain and the coefficient of thermal expansion / 280
 - 9.2.2 CTE inhomogeneity / 281
- 9.3 Index of Refraction Changes with Temperature / 283
- 9.4 Effects of Temperature on Simple Lens Elements / 285
 - 9.4.1 Focus shift of a doublet lens example / 286
 - 9.4.2 Radial gradients / 287
- 9.5 Thermal Response Using Optical Design Software / 288
 - 9.5.1 Representing OPD maps in the optical model / 289
- 9.6 Thermo-Optic Analysis of Complex Temperature Fields / 290
 - 9.6.1 Thermo-optic finite element models / 290
 - 9.6.1.1 Multiple reflecting surfaces / 291
 - 9.6.2 Thermo-optic errors using integration techniques / 291
 - 9.6.3 User-defined surfaces / 293
- 9.7 Bulk Volumetric Absorption / 293
- 9.8 Mapping of Temperature Fields from the Thermal Model to the Structural Model / 294
 - 9.8.1 Nearest-node methods / 295
 - 9.8.2 Conduction analysis / 295
 - 9.8.3 Shape function interpolation / 296
- 9.9 Analogous Techniques / 297
 - 9.9.1 Moisture absorption / 298
 - 9.9.2 Adhesive curing / 298
- References / 298

◀Chapter 10▶

Analysis of Adaptive Optics / 301

- 10.1 Introduction / 301

- 10.2 Method of Simulation / 302
 - 10.2.1 Determination of actuator inputs / 303
 - 10.2.2 Characterization metrics of adaptive optics / 304
 - 10.2.2.1 Example: adaptive control simulation of a mirror segment / 305
- 10.3 Use of Augment Actuators / 307
 - 10.3.1 Example of augment actuators / 308
- 10.4 Slope Control of Adaptive Optics / 309
- 10.5 Actuator Failure / 309
- 10.6 Actuator Stroke Limits / 311
- 10.7 Actuator Resolution and Tolerancing / 312
 - 10.7.1 Example of actuator resolution analysis / 313
- 10.8 Design Optimization of Adaptively Controlled Optics / 314
 - 10.8.1 Adaptive control simulation in design optimization / 314
 - 10.8.1.1 Example: Structural design optimization of an adaptively controlled optic / 315
 - 10.8.2 Actuator placement optimization / 317
 - 10.8.2.1 Example: Actuator layout optimization of a grazing incidence optic / 318
- 10.9 Stressed-Optic Polishing / 319
 - 10.9.1 Adaptive control simulation in stressed-optic polishing / 319
 - 10.9.2 Example: Stressed-optic polishing of hexagonal array segments / 320
- 10.10 Analogies Solved via Adaptive Tools / 322
 - 10.10.1 Correlation of CTE variation / 323
 - 10.10.2 Mount distortion / 324
- References / 324

<Chapter 11>

Optimization of Optomechanical Systems / 327

- 11.1 Optimization Approaches / 328
- 11.2 Optimization Theory / 329
- 11.3 Structural Optimization of Optical Performance / 333
 - 11.3.1 Use of design response equations in the FE model / 333
 - 11.3.2 Use of external design responses in FEA / 335
- 11.4 Integrated Thermal-Structural-Optical Optimization / 336
- References / 337

<Chapter 12>

Superelements in Optics / 339

- 12.1 Overview / 339
- 12.2 Superelement Theory / 339
 - 12.2.1 Static analysis / 340
 - 12.2.2 Dynamic analysis / 341
 - 12.2.2.1 Guyan reduction / 341
 - 12.2.2.2 Component mode synthesis / 341
 - 12.2.3 Types of superelements / 342

- 12.2.3.1 Conventional superelement / 342
- 12.2.3.2 External superelement / 343
- 12.3 Application to Optical Structures / 343
 - 12.3.1 Kinematic mounts / 343
 - 12.3.2 Segmented mirrors / 343
- 12.4 Advantages of Superelements / 344
- 12.5 Telescope Example / 344
- References / 345

<Chapter 13>

Integrated Optomechanical Analysis of a Telescope / 347

- 13.1 Overview / 347
- 13.2 Optical Model Description / 348
- 13.3 Structural Model Description / 349
- 13.4 Optimizing the PM with Optical Metrics / 351
- 13.5 Line-of-Sight Calculations / 352
- 13.6 On-Orbit Image Motion Random Response / 352
- 13.7 On-Orbit Surface Distortion in Random Response / 355
- 13.8 Detailed Primary Mirror Model / 356
- 13.9 RTV vs Epoxy Bond / 359
- 13.10 Gravity Static Performance / 360
- 13.11 Thermo-Elastic Performance / 362
- 13.12 Polynomial Fitting / 364
- 13.13 Assembly Analysis / 365
- 13.14 Other Analyses / 366
- 13.15 Superelements / 367
- References / 369

<Chapter 14>

Integrated Optomechanical Analyses of a Lens Assembly / 371

- 14.1 Double Gauss Lens Assembly / 371
 - 14.1.1 Thermal analysis / 372
 - 14.1.2 Thermo-elastic analysis / 373
 - 14.1.3 Stress birefringence analysis / 374
 - 14.1.4 Thermo-optic analysis / 374
 - 14.1.5 Optical analysis / 375
- 14.2 Seven-Element Lens Assembly / 378

Index / 381